

[0089] An integrated circuit has a metal layer that includes conductors to provide interconnectivity for components of the integrated circuit chip. The metal layer is divided into at least two sections, such that a first section has a preferred direction and the second section has a preferred wiring direction that is different from the first preferred direction. The first and second preferred directions on a single metal layer may consist of any direction. The metal layer may be divided into more than two sections, wherein each section has a preferred wiring direction. Wiring geometries for multi-level metal layers are also disclosed

Figures

IC (Top View)




Figure 1a

IC (Top View)

155






Figure 1b




Layer "n+1"



Layer "n"


Octalinear (+45 Deg.)

Figure 2a



Layer "n+1"

Octalinear (+45 Deg.)



Layer n

Octalinear (-45 Deg.)

Figure 2b







Figure 3a



(+60 Degrees)



(-60 Degrees)

Figure 3b




Figure 4a




Figure 4b




Figure 5a






Figure 5b




Layer 3

Horizontal



Layer 2

Vertical



Layer 1

Horizontal

Figure 6a

10043853 Oct 1992






Figure 6b




Layer 3

Vertical



Layer 2


Vertical



Layer 1


Horizontal

Figure 6c




Layer 3

Horizontal



Layer 2

Horizontal



Layer 1

Vertical

Figure 6d




Figure 7




Figure 8

40043853 • 03.3.2016




Figure 9

IC (Top View)




Figure 10

IC (Top View)




Figure 11




Figure 12a

Prior Art




Figure 12b




Figure 13




Figure 13




Figure 14




Figure 15

IC (Top View)

1600




Figure 16